

ITEM 0101901

SANITARY SERVICE CHIMNEY

DESCRIPTION

Work under this item shall consist of excavating, furnishing, and installing service chimneys where shown on contract drawings, or as ordered by the Engineer.

REFERENCED ITEMS

Items 0101401

REQUIRED SUBMITTALS

None

MATERIALS

Pipe and fittings shall be 6" polyvinyl chloride (PVC) pipe as specified under Item 0101401, Polyvinyl Chloride (PVC) pipe.

Concrete shall conform to the requirements of Section M.03 of the State of Connecticut, Department of Transportation, Standard Specifications for Roads, Bridges and Incidental Construction, Form 816, 2004, for Class "A" concrete.

CONSTRUCTION METHODS

Service chimneys shall be constructed in conformance with the requirements of the Metropolitan District Commission and/or the details shown on the contract drawings. All pipes and fittings shall be properly aligned and fitted together. The chimney shall be surrounded with, and embedded in, a pier of concrete.

METHOD OF MEASUREMENT

This work will be measured for payment by the number of vertical linear feet of service Chimneys completed and accepted in-place, measured from the invert of the sewer main to the invert of the sewer lateral.

BASIS OF PAYMENT

This work shall be paid for at the contract unit price per vertical linear foot for "SANITARY SERVICE CHIMNEYS", complete in-place, which price shall include

all pipes, fittings, concrete, materials, excavation, equipment, tools, labor and work incidental thereto.

PAY ITEM
0101901

DESCRIPTION
Sanitary Service Chimney

PAY UNIT
VLF